

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR
Dieselmotor F3M 1008		3				72,00	2,00	910 CR		700 015 2002
Dieselmotor F 4 M 1008		4					2,00	911 P		
Dieselmotor F1L 208 D		1				80,00	2,50	947 EX P		
Dieselmotor F1L 208 F		1				80,00	2,50	910 CR P		700 015 2003
Dieselmotor F1L 208 F		1					2,50	911 P		
Dieselmotor F1L 208 F		1					5,00	777 CR S		
Dieselmotor F2L 208 F		1		Stationary engine		82,00	2,50	910 IF CR		700 015 2004
Dieselmotor F1L 208 F		1		Stationary engine			2,00	911 P		
Dieselmotor F1L 208 F		1					3,00	947 EX CR+		
Dieselmotor F1L 310		1				85,00	2,00	910 CR P		700 015 2005
Dieselmotor F2L 310		2					2,00	911 FE		
Dieselmotor F3L 310		3					2,00	911 FE		
Dieselmotor F4L 310		4					5,00	948 P		
Dieselmotor F 1 L 410 D	635	1	9 kW (12,5 PS)			90,00	2,50	914 IW CR+		700 015 2006
							2,50	911 FE		
							2,50	911 FE		
							5,00	947 EX FE		
Dieselmotor F1L 612		1				90,00	2,50	910 IF CR		700 015 2007
Dieselmotor F2L 612		2					2,50	911 FE		
Dieselmotor F3L 612		3					2,50	930 FE		
Dieselmotor F3L 612		3					5,00	948 P		
Dieselmotor F2L 1011, F2L 1011 F	1366	2	20 - 22 kW 27 - 30 PS			91,00	2,00	910 CR		700 015 2008
Dieselmotor F3L 1011, F 3L 1011 F	2049	3	16 - 33 kW 22 - 45 PS				2,00	911 FE		
Dieselmotor F4L 1011, F4L 1011 F	2730	4	24 - 47 kW 33 - 64 PS				3,00	947 EX		
Dieselmotor F2M 1011 F	1370	2	22,6 kW (30,7 PS)			91,00	3,00	914 CR P+		
Dieselmotor BF3M 1011F	2184	3	45,5 kW (61,9 PS)				2,00	911 IF FE		700 015 2009
Dieselmotor BF3M1011 F	2184	3					3,00	947 EX CR+		
Dieselmotor BF4L1011F, BF4L1011FT, BF4M1011F	2730	4	48,1 kW (65,4 PS)							
Dieselmotor BF4M 1011F	2910	4	61 kW (83 PS)							
Dieselmotor F2L 1011	1366	2	20 - 22 kW 27 - 30 PS			91,00	3,00	910 CR S		700 015 2010
Dieselmotor F3L 1011	2049	3	16 - 33 kW 22 - 45 PS				2,50	911 FE		
Dieselmotor F4L 1011	2732	4	24 - 47 kW 33 - 64 PS				3,50	947 EX CR+		
Dieselmotor BFL 1011E	2732	4				91,00	3,00	914 CR+		700 015 2011
Dieselmotor BFL 1011T	2732	4					2,50	911 FE		
							3,50	947 EX CR+		
Dieselmotor F1L 411D	698	1				92,00	2,50	914 CR+		700 015 2012
Dieselmotor F2L 411D	1395	2	4,8-17,7 kW (6,5-24 PS)				2,50	911 P		
							5,00	947 EX CR+		

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Dieselmotor M 2011, L 2011		2	11,4 - 34,6kW	Einbaumotor		94,00	2,00	910 CR+	700 015 2013
Dieselmotor M 2011, L 2011 BF 3 L 2011		3	11,4 - 34,6kW	Einbaumotor			2,00 3,00	911 IF U P 947 EX	
Dieselmotor M 2011, L 2011 BF 4 L 2011		4	11,4 - 34,6kW	Einbaumotor					
Dieselmotor BF4M 1012		4				94,00	3,00	914 CR+	700 015 2014
Dieselmotor BF6M 1012		6					2,00 3,00	911 FE 947 EX CR+	
Dieselmotor F1L 712		1				95,00	2,50	910 IF CR	700 015 2015
Dieselmotor F2L 712		2					2,50	911 IF P	
Dieselmotor F3L 712		3					5,00	947 EX P	
Dieselmotor F4L 712		4					5,00	946 P	
Dieselmotor F6L 712		6							
Dieselmotor F 1 L 812	850	1	8/9 kW (11/12,2 PS)	Traktor D 15		95,00	2,50	910 IF CR	700 015 2016
Dieselmotor F 2 L 812	1700	2	14,5-22 kW (20-30 PS)	Traktor D 30, D 2505, D 3005			2,50	911 IF P	
Dieselmotor F 3 L 812	2550	3	24,5- 31,5 kW (33-43 PS)	Traktor D 4005, D 4505, D 40			5,00	947 EX P	
Dieselmotor F 4 L 812	3400	4	33-39 kW (45-53 PS)	Traktor D 50, D 5005, D 6005					
Dieselmotor F 6 L 812	5100	6	48,5- 73,5 kW (66-100 PS)	D15, D30/S, D2505, S3005, D40L, D40.1, D 4005, D 4505, D 50.1S, D 5005, D 5505, D 6005, D 8005, 90 D 7, 90 D 8, 90 D 9, 90 D 11, 100 D7, 100 D 8, 100 D9, 100 D 10, 100 D 11	63-67				
Dieselmotor FL 210		1				95,00	2,50 2,55 5,00	910 IF CR 911 IF U 947 EX P	700 015 2017
Dieselmotor BF4M2013C	3802	4	75-232 kW 100-326PS	Stationärmotor		98,00	3,00	914 IF CR+	700 015 2018
Dieselmotor BF6M2013	5702	6	75-232 kW 100-326PS	Stationärmotor			2,00 3,00	911 IF U P 947 EX NIT	
Dieselmotor BF6M2013C	5702	6	75-232 kW 100-326PS	Stationärmotor					

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR
Dieselmotor F2L 912 D	1884	2				100,00	2,50	914 CR S		700 015 2019
Dieselmotor F3L 912 D	2826	3					2,50	911 FE		
Dieselmotor F4L 912 D	3768	4					2,50	911 FE		
Dieselmotor F5L 912 D	4712	5					5,00	947 EX CR+		
Dieselmotor F6L 912 D	5652	6	27-82 kW (36-112 PS)							
Dieselmotor F 2 L 912 D	1884	2	21-28 kW (29-38 PS)	D 2506, D 3006, D 2807, D 3607, DX 36		100,00	2,94 2,03 3,50	914 IF CR+ 911 IF U 947 EX CR+		700 015 2020
Dieselmotor F 3 L 912 D	2826	3	26-43 kW (35-58,5 PS)	D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50/55/3.20/ 3.30						
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004, D 7007, D 7207, DX 4.10/750						
Dieselmotor F 5 L 912 D	4712	5	63-74 kW (85- 100,5 PS)	DX 85/90						
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120	67-					
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120	67-					
Dieselmotor F1L 511		1				100,00	2,94 2,03 3,00	914 IF CR+ 911 IF U P 947 EX CR+		700 015 2021
Dieselmotor F2L 511		2								
Dieselmotor F3L 912	2827	3	38 kW (52 PS)		06/96-					
Dieselmotor F4L 912	3770	4	51 kW (69 PS)		06/96-					
Dieselmotor F5L 912	4680	5	65 kW (88 PS)		06/96-					
Dieselmotor F6L 912	5616	6	78 kW (106 PS)		06/96-					
Dieselmotor BF4L 912		4				100,00	2,94 2,50 3,50	914 IF CR+ 911 FE 947 EX CR+		700 015 2022
Dieselmotor F4L 912		4								
Dieselmotor BF6L 912		6								
Dieselmotor F6L 912		6								

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR	
Dieselmotor F 1 L 511 D	825	1	13 kW (17,5 PS)		78-	100,00	2,94 2,55 5,00	914 IF CR+ 911 IF U 947 EX CR+		700 015 2023	
Dieselmotor F 2 L 511 D	1650	2	26 kW (35 PS)								
Dieselmotor F 2 L 912 D	1884	2	21-28 kW (29-38 PS)	D 2506, D 3006, D 2807, D 3607, DX 36							
Dieselmotor F 3 L 912 D	2826	3	26-43 kW (35-58,5 PS)	D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50/55/ 3.20/3.30							
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004	67-						
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004, D 7007, D 7207, DX 4.10/750							
Dieselmotor F 5 L 912 D	4712	5	63-74 kW (85- 100,5 PS)	DX 85/90							
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120							
Dieselmotor F 2 L 912 D	1884	2	21-28 kW (29-38 PS)	D 2506, D 3006, D 2807, D 3607, DX 36	67-	100,00	3,00 2,50 4,00	914 CR S 911 IF CR 947 EX CR+		700 015 2024	
Dieselmotor F 3 L 912 D	2826	3	26-43 kW (35-58,5 PS)	D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50/55/3.20/ 3.30							
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004, D 7007, D 7207, DX 4.10/750							
Dieselmotor F 5 L 912 D	4712	5	63-74 kW (85- 100,5 PS)	DX 85/90							
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120	67-						
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120							

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR		
Dieselmotor F 2 L 912 D	1884	2	21-28 kW (29-38 PS)	D 2506, D 3006, D 2807, D 3607, DX 36	72-80	100,00	3,00	914 CR+		700 015 2025		
Dieselmotor F 2 L 912 W	1884	2	22-24 kW (30-33 PS)				2,50	911 FE				
Dieselmotor F 3 L 912 D	2826	3	26-43 kW (35-58,5 PS)	D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50/55/3.20/3.30			2,50	911 FE				
							5,00	947 EX CR+				
Dieselmotor F 3 L 912 W	2826	3	35-37 kW (48-50 PS)									
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, D 7007, D 7207, DX 4.10/750								
Dieselmotor F 4 L 912 W	3768	4	46-49,5 kW (62-67 PS)									
Dieselmotor F 5 L 912 D	4712	5	63-74 kW (85- 100,5 PS)	DX 85/90								
Dieselmotor F 5 L 912 W	4710	5	58-61 kW (79-83 PS)									
Dieselmotor BF 6 L 912	5640	6	100 kW (136 PS)	D 8007/A, D 10006/A			71-					
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120	67-							
Dieselmotor F 6 L 912 W	5652	6	69-73,5 kW (94-100 PS)		72-87							
Dieselmotor F 1 L 511 D	825	1	13 kW (17,5 PS)		78-	100,00	3,00	914 CR+		700 015 2026		
Dieselmotor F 2 L 511 D	1650	2	26 kW (35 PS)				2,50	911 FE				
Dieselmotor F 2 L 912 D	1884	2	21-28 kW (29-38 PS)	D 2506, D 3006, D 2807, D 3607, DX 36			5,00	947 EX CR+				
Dieselmotor F 3 L 912 D	2826	3	26-43 kW (35-58,5 PS)	D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50/55/ 3.20/3.30								
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004								
Dieselmotor F 4 L 912 D	3768	4	43-59 kW (58,5-80 PS)	D 5506, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A/S, 2004, D 7007, D 7207, DX 4.10/750								
Dieselmotor F 5 L 912 D	4712	5	63-74 kW (85- 100,5 PS)	DX 85/90								
Dieselmotor F 6 L 912 D	5652	6	59-82 kW (80-112 PS)	D 7506/A, D 8006/A, D 9006/A, D 9009/A, D 10006/A, 2005, DX 6.10/110/120			67-					
Dieselmotor BF4M2012	4038	4	74,9 kW 86-103 kW 133-155 kW	Tractor				101,00	2,50		914 IF CR+	
Dieselmotor BF4M2012C	4038	4	74,9 kW 86-103 kW 133-155 kW	Tractor	2,00	911 IF U P						
Dieselmotor BF6M2012C	6057	6	74,9 kW 86-103 kW 133-155 kW	Tractor	3,00	947 EX NIT						

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Type type type	GPR-Nr GPR-No réf. GPR	
Dieselmotor F3L 913 G	1885	2		Stationärmotor		102,00	2,94	914 IF CR+		700 015 2028
Dieselmotor F6L 912 F	2826	3		Stationary engine			2,00	911 IF P		
Motor	3768	4		Fork Lift			3,50	947 EX CR+		
Motor		6								
Dieselmotor BFL913	4086	4		Stationärmotor Stationary engine		102,00	2,94	914 IF CR+		700 015 2029
Dieselmotor BFL913	6182	6		Stationärmotor Stationary engine			2,00 3,00	911 IF U P 947 EX NIT S		
Dieselmotor F3L 913	3064	3	41 kW (56 PS)			102,00	2,94	914 IF CR+		700 015 2030
Dieselmotor BF4L 913	4086	4	74 kW (100 PS)				2,03 3,50	911 IF U 947 EX CR+		
Dieselmotor F4L 913	4086	4	56 kW (76 PS)							
Dieselmotor BF6L 913	6120	6	112 kW (152 PS)							
Dieselmotor BF6L 913C	6128	6	132 kW (180 PS)							
Dieselmotor F6L 913	6128	6	84 kW (114 PS)							
Dieselmotor F 3 L 913/MD/H	3060	3	42/45 kW (57/61 PS)	Traktor D 3.50, D 6007		102,00	2,94	914 IF CR+		700 015 2031
Dieselmotor F 4 L 913/MD/H	4086	4	55/64 kW (75/87 PS)	Traktor DXY 80/3.90, D 7807			2,55 5,00	911 IF U FE 947 EX CR+		
Dieselmotor F 6 L 913/MD/H	6128	6	81-96 kW (110-130 PS)	DX 3.50/ 3.90/ 6.30, D 7807, DX 120	76-					
Dieselmotor F 3 L 912 F	3064	3	43 kW (58,5 PS)			102,00	2,94	914 IF CR+		
Dieselmotor F 4 L 912 F	4086	4	62 kW (84 PS)				2,55 3,50	911 FE 947 EX CR+		700 015 2032
Dieselmotor F 5 L 912 F	5107	5	78 kW (106 PS)							
Dieselmotor F 6 L 912 F	6128	6	92 kW (125 PS)							
Dieselmotor BF4L913T	4086	4	60 kW	Stationärmotor		102,00	2,94	914 IF CR+		
Dieselmotor BF6L913T	6128	6	99 kW	Stationary engine			2,55 3,00	911 IF U P 947 EX CR+		700 015 2033
Dieselmotor BF 4 L 913/C	4086	4	64 kW (87 PS)	Traktor DX 4.70, DX 80, Baureihe 90	01/73-	102,00	2,94	914 IF CR+		
Dieselmotor BF 4 L 913/C	4086	4	64-92 kW (87-126 PS)				3,00 3,50	914 CR+ 947 EX CR+		
Dieselmotor DF 4 L 913/C	4086	4	64 kW (87 PS)		73-					700 015 2034
Dieselmotor BF 6 L 913/C	6128	6	131 kW (178 PS)		80-					
Dieselmotor BF 6 L 913/C	6129	6	107/ 117,5 kW (145/160 PS)		73-					
Dieselmotor BF 6 L 913/C	6129	6	131 kW (178 PS)	13006 A, M 30 M 8 FL, M 160 L 81, M 160 M 13 FL, M 168 M 8 FLL, DX 4.70, DX 80	73-					
Dieselmotor BF4L 913	4086	4		DX 4.70, DX 80		102,00	2,94	914 IF CR+		700 015 2035
Dieselmotor BF6L 913 C	6128	6					3,00 3,50	911 FE 947 EX CR+		
Dieselmotor BF6L 913 C	6128	6	131 kW (178 PS)			102,00	2,94	914 CR+		700 015 2036
							3,00 3,00	917 CR 947 EX CR+		

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR	
Dieselmotor F 3 L 913	3060	3	45 kW (61 PS)	Traktor DX 4.50/86	04/79-06/96	102,00	3,00	914 CR+		700 015 2037
Dieselmotor BF 4 L 913 T	4086	4	60/64 kW (82/87 PS)				2,50	911 CR		
Dieselmotor F 4 L 913	4086	4	55 kW (75 PS)				5,00	947 EX CR+		
Dieselmotor BF 6 L 913 T	6128	6	95,5 kW (130 PS)							
Dieselmotor F 6 L 913	6128	6	81/96 kW (110/130 PS)				DX 3.50, DX 3.90, D 7807, DX 120	76-		
Dieselmotor F 3 L 913	3060	3	45 kW (61 PS)	Traktor DX 4.50/86	04/79-06/96	102,00	3,00	914 CR+		700 015 2038
Dieselmotor BF 4 L 913 T	4086	4	60/64 kW (82/87 PS)				2,50	911 FE		
Dieselmotor F 4 L 913	4086	4	55 kW (75 PS)				5,00	947 EX CR+		
Dieselmotor BF 6 L 913 T	6128	6	95,5 kW (130 PS)							
Dieselmotor F 6 L 913	6128	6	81/96 kW (110/130 PS)				DX 3.50, DX 3.90, D 7807, DX 120	76-		
Dieselmotor BF6L 913 FC		6		D 2506, D 7506, D 5206		102,00	3,00	914 CR+		700 015 2039
							3,00	914 CR+		
							2,50	911 FE		
							5,00	947 EX CR+		
Dieselmotor BF4L 913	4086	4				102,00	3,00	914 CR+		700 015 2040
Dieselmotor BF6L 913	6129	6					3,00	911 IF U CR		
							5,00	947 EX CR+		
Dieselmotor BF4L 913	4086	4	64/78 kW (87/106 PS)			102,00	3,00	914 CR+		700 015 2041
Dieselmotor BF6L 913/C	6129	6	131 kW (178 PS)				3,00	917 CR		
							5,00	947 EX CR+		
Dieselmotor BF4M 1013	4760	4				108,00	3,00	914 CR+		700 015 2042
Dieselmotor BF6M 1013	7140	6					2,00	911 P		
							3,50	947 EX CR+		
Dieselmotor F/A 1 L 514		1			57-68	110,00	3,00	910 CR		700 015 2043
Dieselmotor F/A 1 L 514	1330	1	13 kW (18 PS)	49-75			3,00	911 FE		
Dieselmotor F/A 2 L 514		2		57-68			3,00	930 FE		
Dieselmotor F/A 2 L 514	2660	2	26,5 kW (36 PS)	46-57			6,00	947 P		
Dieselmotor F/A 3 L 514		3		57-68			6,00	946 P		
Dieselmotor F/A 3 L 514	3990	3	39,5 kW (54 PS)	49-57						
Dieselmotor F/A 4 L 514		4		57-68						
Dieselmotor F/A 4 L 514	5322	4	53 kW (72 PS)	49-57						
Dieselmotor F/A 6 L 514/614		6		57-68						
Dieselmotor F/A 12 L 614		V12		57-68						
Dieselmotor F/A 12 L 614	15960	V12	162 kW (220 PS)	49-57						
Dieselmotor F/A 6 L 514/614	7980	V6	81 kW (110 PS)	49-57						
Dieselmotor F/A 8 L 614		V8		57-68						
Dieselmotor F/A 8 L 614	10640	V8	108 kW (147 PS)	49-57						

123

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR	
Dieselmotor F/A 10 L 714	15833	V10	173 kW (235 PS)	Saturn 145, Pluto 201, 150 FL, 200 FL, 200 K, 200 L, Merkur, Jupiter, Saturn, S 3500, S 3500 Pluto, S 3500 S Merkur, A 5500, A/S 7500, D 145, 150 D 13/14/21, 156 D 15/16/22, 195, 200 D 26, 210 D 16/18, 150 L 10, 150 R 10, 150 S 11 N, Saturn II	59-	120,00	3,00	910 CR P		700 015 2045	
Dieselmotor BF 12 L 714		V12					3,00	911 FE			
Dieselmotor F/A 12 L 714	19000	V12	213,5 kW (290 PS)				6,00	947 EX FE			
							6,00	946 P			
Dieselmotor F/A 6 L 714	9500	V6	106,5 kW (145 PS)								
Dieselmotor F/A 8 L 714	12667	V8	143,5 kW (195 PS)								
Dieselmotor F 10 L 413	14140	V10	200- 224,5 kW (272-305 PS)	Baureihe 290, 310	74-80	120,00	3,00 3,00 3,00 6,00	910 CR P		700 015 2046	
Dieselmotor F 10 L 413		V10	200- 224,5 kW (272-305 PS)					911 FE			
Dieselmotor F 12 L 413	16960	V12	240-250 kW (326-340 PS)	74-80	931 FE						
Dieselmotor F 12 L 413		V12	240-250 kW (326-340 PS)	68-80	947 EX CR+						
Dieselmotor F 6 L 413	8480	V6	120-130 kW (163-176 PS)	Baureihe 120/170	74-80						
Dieselmotor F 6 L 413, AL 413		V6	120-130 kW (163-177 PS)								
Dieselmotor F 8 L 413	11310	V8	132,5- 171 kW (180-232 PS)	74-80							
Dieselmotor F 8 L 413		V8	132,5- 171 kW (180-232 PS)								
Dieselmotor F 8 L 714 A		V8									
Dieselmotor F 4 L 413 R	5880	4	90 kW (128 PS)	130 D	73-77	120,00	3,50 3,00 3,00 6,00	914 CR+		700 015 2047	
Dieselmotor F 5 L 413 R	7350	5	112 kW (152 PS)	130 D	73-77			911 FE			
Dieselmotor F 10 L 413 L	14700	V10	198,5/ 224,5 kW (270/305 PS)		80-			931 FE			
Dieselmotor F 10 L 413 L		V10								947 EX CR+	
Dieselmotor F 12 L 413 L	17640	V12	269,5 kW (366 PS)	270 D, 310 D, 340 D	80-						
Dieselmotor F 12 L 413 L		V12			71-80						
Dieselmotor F 6 L 413 L	8820	V6	137 kW (183 PS)	130 D	80-						
Dieselmotor F 6 L 413 L		V6									
Dieselmotor F 6 L 413 R	8820	V6	135 kW (183 PS)	130 D	73-77						
Dieselmotor F 8 L 413 L		V8			80-						
Dieselmotor F 8 L 413 L	11760	V8	179,5 kW (244 PS)								



KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type		GPR-Nr GPR-No réf. GPR
Dieselmotor F 4 L 413 R/FR	6378	4	83-94 kW (113-128 PS)		78-	125,00	3,00 2,50	914 CR S 911 FE		700 015 2048
Dieselmotor F 5 L 413 F/FR Dieselmotor F 6 L 413 F/FR	7976	5	109-118 kW (148-160 PS)		83-		4,00	947 EX CR+		
Dieselmotor BF 6 L 413 FRC, BF 6 L 513 RC	9572	6	160 kW (217,5 PS)		83-					
Dieselmotor F 6 L 413 FRW	9600	6	121 kW (165 PS)		83-					
Motor F 6 L 413 F/FR	9572	6	130-141 kW (177-192 PS)							
Dieselmotor BF 10 L 413 F, BF 10 L 513 C	15945	V10	265-294 kW (360-400 PS)	Baureihe 190, 320, 360						
Dieselmotor BF 10 L 413 F, BF 10 L 513 C	15945	V10	265-294 kW (360-400 PS)	Baureihe 190, 320, 360	09/83-					
Dieselmotor F 10 L 413 F	15945	V10	235 kW (320 PS)							
Dieselmotor F 10 L 413 FW		V10	188-202 kW (255-275 PS)							
Dieselmotor BF 12 L 413 F, BF 12 L 513 C	19140	V12	335-353 kW (456-480 PS)	360 D 34 AS, 3000, 3500, N 4520/ 4530/ 4540/4550/ 4620, 8000, FKL, FKM, MFS 42	09/83-					
Dieselmotor BF 12 L 413 F, BF 12 L 513 C	19140	V12	335-353 kW (456-480 PS)	360 D 45 AS, 3000, 3500, N 4520, N 4530, N 4540, N 4550, N 4620, 8000, FKL, FKM, MFS 42	75-08/83					
Dieselmotor F 12 L 413 F	19140	V12	282 kW (384 PS)	192 M 14 FL, 256 D 16 AK/ FL/K, 256 M 19 FL, 256 M 22 FLL, 256 D 26 AK/U, 260 T 117, 260 L 117, 320 M 16 FSL, 320 D 16 FS, 320 D 19 AK, 320 D 19 FAK, 320 M 19 FLL, 320 D 26 AK, M 2000 R 106/ R 113/R 119, M 260 TR 117, M 320 D 16 FS, M 320 D FSL	75-					
Dieselmotor F 12 L 413 FW		V12	225-243 kW (306-330 PS)		76-					
Dieselmotor BF 6 L 413 F, BF 6 L 513 C	9572	V6	112-177 kW (152-240 PS)	Traktor DX 8.30/2304	09/83-					
Dieselmotor F 6 L 413 FW		V6	112-121 kW (152-165 PS)							
Dieselmotor BF 8 L 413 F, BF 8 L 513 C	12763	V8	212-235 kW (288-320 PS)	Baureihe 190, 250, 260, 290, 320, 360, 2000, 4520, 4530, 4540, 4550, 4620, 8000						
Dieselmotor BF 8 L 413 F, BF 8 L 513 C	12763	V8	212-235 kW (288-320 PS)	Baureihe 190, 250, 260, 290, 320, 360, 2000, 4520, 4530, 4550, 4620, 8000	09/83-					
Dieselmotor F 8 L 413 F	12763	V8	188 kW (256 PS)							
Dieselmotor F 8 L 413 FW		V8	150-162 kW (204-220 PS)							

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR	
Motor	15945	10	265-294 kW	190, 320, 360		125,00	3,00 2,50	914 CR S 911 IF CR		700 015 2049
Motor	19140	12	334-353 kW	3000, 3500, 8000			4,00	947 EX CR+		
Dieselmotor BF L 413 F	9572	6	112-177 kW							
Dieselmotor BF L 513 C	12763	8	212-234 kW							
Dieselmotor BF6 L 413	9572	6				125,00	3,00 3,00	914 CR S 911 IW U CR		700 015 2050
Dieselmotor BF10 L 413	15945	V10					4,00	947 EX CR+		
Dieselmotor BF12 L 413	19140	V12	177-353 kW (240-480 PS)							
Dieselmotor BF8 L 413	12763	V8								
Dieselmotor BF 10 L 513	15945	V10	304 kW (413 PS)			125,00	3,50 2,50	914 CR+ 911 FE		700 015 2051
Dieselmotor BF 10 L 513	15945	V10	304 kW (413 PS)		09/87-		4,00	947 EX CR+		
Dieselmotor BF 12 L 513	19140	V12	365 kW (496 PS)		09/87-					
Dieselmotor BF 12 L 513	19140	V12	365 kW (496 PS)	330 ANW	87-					
Dieselmotor BF 6 L 513	9570	V6	182 kW (248 PS)							
Dieselmotor BF 6 L 513	9572	V6	182 kW (248 PS)		09/87-					
Dieselmotor BF 8 L 513	12763	V8	243 kW (330 PS)							
Dieselmotor BF 8 L 513	12763	V8	243 kW (330 PS)		09/87-					
Dieselmotor BF 10 L 513	15945	V10	304 kW (413 PS)			125,00	3,50 2,50	914 CR+ 911 IF CR		700 015 2052
Dieselmotor BF 10 L 513	15945	V10	304 kW (413 PS)		09/87-		4,00	947 EX CR+		
Dieselmotor BF 12 L 513	19140	V12	365 kW (496 PS)		09/87-					
Dieselmotor BF 12 L 513	19140	V12	365 kW (496 PS)	330 ANW	87-					
Dieselmotor BF 6 L 513	9570	V6	182 kW (248 PS)							
Dieselmotor BF 6 L 513	9572	V6	182 kW (248 PS)		09/87-					
Dieselmotor BF 8 L 513	12763	V8	243 kW (330 PS)							
Dieselmotor BF 8 L 513	12763	V8	243 kW (330 PS)		09/87-					
Dieselmotor BF6 L 513	9570	6				125,00	3,50 3,00	914 CR+ 914 CR S		700 015 2053
Dieselmotor BF10 L 513	15945	V10					4,00	947 EX CR+		
Dieselmotor BF12 L 513	19140	V12	160-365 kW (218-496 PS)							
Dieselmotor BF8 L 513	12763	V8								

KHD

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Type type type		GPR-Nr GPR-No réf. GPR
Dieselmotor F 10 L 513	16730	V10	235 kW (320 PS)			128,00	3,50 3,00 4,00	914 CR+ 911 FE 947 EX CR+		700 015 2054
Dieselmotor F/BF 10 L 513	16730	V10	235/265 kW (320/360 PS)							
Dieselmotor F 12 L 513	20076	V12	282 kW (383,5 PS)		86-					
Dieselmotor F/BF 12 L 513	20076	V12	282/318 kW (383,5/ 433 PS)		86-					
Dieselmotor F 6 L 513	10038	V6	141 kW (192 PS)							
Dieselmotor F/BF 6 L 513	10038	V6	141/192 kW (192/261 PS)							
Dieselmotor F 8 L 513	13384	V8	188 kW (265 PS)							
Dieselmotor F/BF 8 L 513	13384	V8	188/212 kW (256/288 PS)							
Dieselmotor A2M 517		2				130,00	3,50 3,50 3,50 6,00 6,00	910 CR 911 IF P 911 IF P 946 P 946 P		700 015 2055
Dieselmotor A4M 517		4								
Dieselmotor A8M 517		6								
Dieselmotor A8M 517		V8								
Motor BF6M1015	11910	6	341 kW (464 PS)	TopLiner		132,00	3,50 2,45 4,00	914 IW CR+ 911 CR 947 EX CR+		700 015 2056
Dieselmotor BF8M1015	15870	8	454 kW (617 PS)							
Dieselmotor BF6M1015	11910	6	341 kW (464 PS)	TopLiner		132,00	4,00 2,45 4,00	914 IW CR+ 911 CR 947 EX CR+		700 015 2057
Dieselmotor BF8M1015	15870	8	454 kW (617 PS)							
Dieselmotor F4M 716	9160	4				135,00	4,00 3,00 3,00 6,00	910 CR 911 FE 911 FE 947 EX		700 015 2058
Dieselmotor BF6M 716	13740	6								
Dieselmotor F6M 716	13740	6								
Dieselmotor BF12M 716	27480	V12								
Dieselmotor F12M 716	27480	V12								
Dieselmotor BF16M 716	36640	V16	103- 625,5 kW (140-850 PS)							
Dieselmotor BF8M 716	18320	V8								
Dieselmotor F8M 716	18320	V8								
Dieselmotor A/BA 6 M 816	15204	6	200-245 kW (272-333 PS)		72-	142,00	4,00 3,00 6,00	914 CR+ 911 FE 947 EX CR+		700 015 2059
Dieselmotor A/BA 6 M 816 U/W/R	15204	6	235,5- 324 kW (320-440 PS)		72-					
Dieselmotor A/BA 8 M 816	20272	8	265-3 30,5 kW (360-450 PS)		72-					
Dieselmotor A/BA 8M816C/ CR/U/W/R	20272	8	316-638 kW (428-867 PS)		72-					
Dieselmotor A/BA 12 M 816	30408	V12	400,5- 490 kW (545-666 PS)		72-					
Dieselmotor A/BA 12 M 816C/ CR/U/W/R	30408	V12	470-950 kW (640- 1292 PS)		72-					
Dieselmotor A/BA 16 M 816	40544	V16	530,5- 660 kW (721-896 PS)		72-					
Dieselmotor A/BA 16 M 816 C/CR/U/W/R	40544	V16	630,5- 1270 kW (857- 1727 PS)		72-					