

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Motor 3G83		3				65,00	1,20 1,20 2,80	910 CR S 911 FE 777 CR S	700 015 2246
2G22 Gasoline	471	2		Minica		65,00	1,50 1,50 2,50	910 CR 911 FE 777 CR S	700 015 2247
3G-82 Gasoline		3				65,00	1,50 1,50 2,80	910 NIT S 911 CR 777 CR S	700 015 2248
4G-82 Gasoline		4				65,00	1,50 1,50 2,80	910 NIT S 911 CR 777 CR S	700 015 2249
Motor	1094	4		Pajero Toppo		66,00	1,00 1,20 2,50	910 CR S 911 FE 777 CR S	700 015 2250
FT3 Gasoline		4				66,00	1,50 1,50 2,80	910 CR S 911 CR 777 NIT S	700 015 2251
4G11-EC Gasoline		4				68,20	1,50 1,50 4,00	910 NIT S 911 FE 777 NIT S	700 015 2252
4G-11 Gasoline	1244	4		Mirage Lancer Dodge Colt		69,50	1,50 1,50 4,00	910 CR 931 FE 777 CR S	700 015 2253
2G23 Gasoline	550	2		Minica 55 Mini Cab Wide 55		70,00	1,50 1,50 2,50	910 CR 911 FE 777 CR S	700 015 2254
4G13 Gasoline	1298	4		Mirage		71,00	1,20 1,50 3,00	910 NIT S 911 FE 777 NIT S	700 015 2255
4G13 Gasoline	1298	4				71,00	1,20 1,50 3,00	910 CR S 911 FE 777 CR S	700 015 2256
Motor 4G13	1298	4		Mirage Lancer		71,00	1,20 1,50 2,80	910 NIT S 911 FE 777 CR S	700 015 2257
4G13 Gasoline	1298	4		Mirage Lancer		71,00	1,50 1,50 4,00	910 NIT S 911 FE 777 NIT S	700 015 2258
4G36EC Gasoline		4				71,80	1,50 1,50 4,00	910 CR 911 FE 777 CR S	700 015 2259
4G17 Gasoline		4				72,20	1,20 1,50 3,00	910 NIT S 911 FE 777 NIT S	700 015 2260
4G33 4G36 Gasoline	1238	4		Pony		73,00	1,50 1,50 4,00	910 CR 911 FE 777 CR S	700 015 2261
4G33 (neu) Gasoline	1439	4		Lancer, Celeste Delica Fork Lift		73,00	1,50 1,50 4,00	910 NIT S 911 FE 777 NIT S	700 015 2262
4G-12 Gasoline	1410	4		Lancer, Celeste Mirage Plymouth Champ		74,00	1,50 1,50 4,00	910 CR 911 FE 777 CR S	700 015 2263
4G31B Gasoline	1499	4				74,50	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2264
6G71 Gasoline	1998	6		Debonaire Slla		74,70	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2265

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
4G15 Gasoline	1468	4				75,50	1,20 1,20 2,80	910 NIT S 911 FE 777 CR S	700 015 2266
4G15 Gasoline	1498	4		Mirage Libero Cago		75,50	1,20 1,50 3,00	910 NIT S 911 FE 777 NIT S	700 015 2267
4G15 Gasoline	1468	4				75,50	1,20 1,50 3,00	910 CR S 911 FE 777 CR S	700 015 2268
4G15 Gasoline	1468	4		Mirage Lancer		75,50	1,50 1,50 4,00	910 NIT S 911 P 777 NIT S	700 015 2269
4G18P Gasoli4G		4				76,00	1,20 1,20 2,50	910 NIT S 931 FE 777 NIT S	700 015 2270
4G18 Gasoline		4				76,00	1,20 1,50 2,80	910 NIT S 931 FE 777 NIT S	700 015 2271
2G24 Gasoline	548	2		Minica		76,00	1,50 1,50 2,50	910 CR S 911 CR 777 CR S	700 015 2272
4G32B Gasoline	1597	4		Galant Chariot Tredia		76,90	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2273
4G32 Gasoline	1597	4		Colt, Galant Z, Sapporo Lancer, Celeste Mirage Delica (70~)		76,90	2,00 2,00 4,00	910 CR P+ 911 P 777 CR S	700 015 2274
2G25 Gasoline	660	2		Minica		78,00	1,50 1,50 2,50	910 CR S 911 CR 777 CR S	700 015 2275
Motor 6A12	1998	6		Eterna Galant Diamante Proton Perdana		78,40	1,20 1,20 2,80	910 CR S 911 FE 777 CR S	700 015 2276
G62B Gasoline	1795	4		Tredia Cordia Delica stare		80,60	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2277
4G62 Gasoline	1795	4		Galant Sapporo Lancer		80,60	2,00 2,00 4,00	910 CR 911 FE 777 CR S	700 015 2278
4D65 Diesel	1795	4		Mirage		80,60	2,00 2,00 4,00	913 CR+ 911 CR 947 EX CR S	700 015 2279
4D65T Diesel	1795	4				80,60	2,00 2,00 4,00	913 CR S 913 CR S 947 EX CR	700 015 2280
4G92 Gasoline	1597	4		Lancer		81,00	1,20 1,20 2,80	910 NIT S 911 CR 777 NIT S	700 015 2281
4G93 Gasoline	1834	4		Galant		81,00	1,20 1,20 2,80	910 CR S 911 FE 777 CR S	700 015 2282
4G51 Gasoline	1850	4				81,00	2,00 2,00 4,00	910 CR SN+ 911 CR 777 CR S	700 015 2283
4G67 Gasoline	1836	4		Galant Z Eterna Eterna SA V A		81,50	1,20 1,50 3,00	910 CR S 911 CR 777 NIT S	700 015 2284
4G61 Gasoline	1595	4		Mirage Lancer		82,30	1,20 1,50 3,00	910 NIT S 911 CR 777 NIT S	700 015 2285

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
4D68NA Diesel	1998	4		Galant Proton		82,70	2,00 2,00 3,00	913 CR S 931 CR 947 EX NIT S	700 015 2286
Motor DZL		4		Savrin		85,00	1,20 1,20 2,00	910 IF NIT S 931 FE 777 CR S	700 015 2287
4G63 Gasoline	1997	4		Lancer Eclipse Chariot RVR		85,00	1,20 1,50 3,00	910 NIT S 931 ES CR 777 NIT S	700 015 2288
4G63K Gasoline	1997	4		Galant Z Eterna Eterna SA V A Chariot		85,00	1,20 1,50 3,00	910 IF NIT S 931 CR 777 NIT S	700 015 2289
4G63 Gasoline	1997	4		Galant		85,00	1,20 1,50 2,80	910 IF NIT S 931 CR 777 NIT S	700 015 2290
G63B G63B T/C Gasoline	1997	4		für bleifreies Benzin Galant Z Chariot Paiero		85,00	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2291
G63B Gasoline	1997	4		Galant Z Starion		85,00	1,50 1,50 4,00	910 MO S 911 CR 777 NIT S	700 015 2292
4G63 Gasoline	1997	4		Galant Z Sapporo A163, A164		85,00	2,00 2,00 4,00	910 CR+ 911 FE 777 CR S	700 015 2293
4G63 Gasoline	1997	4				85,00	2,00 2,00 4,00	910 NIT S 911 FE 777 NIT S	700 015 2294
4G64K Gasoline	2350	4		Delica Wagon		86,50	1,20 1,50 3,00	910 IF CR S 931 FE 777 CR S	700 015 2295
4G64 Gasoline	2350	4		Galant		86,50	1,20 1,50 2,80	910 IF CR S 931 FE 777 CR S	700 015 2296
G64B Gasoline	2400	4				86,50	1,50 1,50 4,00	910 CR S 931 ES FE 777 CR S	700 015 2297
4G64 Gasoline	2350	4		für verbleites Benzin		86,50	1,50 1,50 4,00	910 NIT S 931 ES FE 777 NIT S	700 015 2298
420A Gasoline	1997	4		Eclipse		87,50	1,20 1,20 3,00	910 CR S 911 FE 777 CR S	700 015 2299

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
6G72 SOHC Gasoline	2972	V-6		Sigma Pajero		91,10	1,20 1,50 3,00	910 CR S 911 CR 777 CR S	700 015 2300
6G72 DOHC Gasoline	2972	V-6		3000GT		91,10	1,20 1,50 3,00	910 NIT S 911 CR 777 NIT S	700 015 2301
4G54T Gasoline	2555	4		Starion		91,10	1,50 1,50 4,00	910 NIT S 911 CR 777 NIT S	700 015 2302
6G72 Gasoline	2555	V-6				91,10	1,50 1,50 4,00	910 CR+ 911 CR P 777 NIT S	700 015 2303
6G72 Gasoline	2972	V-6		Sigma		91,10	1,50 1,50 4,00	910 CR S 911 CR 777 CR S	700 015 2304
4G54B Gasoline	2555	4		Jeep Debonair Galant Z Sapporo Dodge Challenger		91,10	2,00 2,00 4,00	910 CR+ 911 CR 777 CR S	700 015 2305
4D55 Diesel	2346	4		Galant		91,10	2,50 2,00 4,00	910 MO P+ 911 CR P 947 EX CR IN	700 015 2306
4D55T Diesel	2346	4		Galant		91,10	2,50 2,00 4,00	913 CR S 913 CR 947 EX CR	700 015 2307
4DR52T-1 Diesel	2659	4				92,00	2,35 2,00 4,00	914 CR S 911 IW CR 947 EX NIT S	700 015 2308
4DR5 Diesel	2659	4		Canter Jeep Rosa		92,00	2,50 2,00 2,00 4,50	913 TEF+ 911 FE 911 FE 947 EX TEF	700 015 2309
6DR5 Diesel	3983	6		Rosa T44 T44B Fork Lift FD60		92,00	2,50 2,00 2,00 4,50	913 TEF+ 911 FE 911 FE 947 EX TEF	700 015 2310
4DR5 Diesel	2659	4		Canter Jeep Rosa		92,00	2,50 2,00 2,00 4,50	913 CR S 911 FE 911 FE 947 EX NIT S	700 015 2311
6G74 Gasoline	3500	6		Debonair		93,00	1,50 1,50 3,00	910 IF CR S 931 ES FE 777 CR S	700 015 2312
Dieselmotor S4E	2609	4		Fork Lift		94,00	2,50 2,00 4,50	913 CR+ 911 FE 947 EX CR+	700 015 2313

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Dieselmotor 4M40-TC	2835	4		Pajero		95,00	2,31 2,00 3,00	914 CR S 911 IW CR 947 EX NIT S	700 015 2314
4M40 Diesel	2835	4		Pajero		95,00	2,31 2,00 4,00	914 CR S 911 IW CR 947 EX NIT S	700 015 2315
Dieselmotor 4M40-NA		4		Canter Pajero		95,00	2,35 2,00 4,00	914 CR S 911 IW CR+ 947 EX CR S	700 015 2316
4DR7 4M40-NA Diesel	2835	4				95,00	2,35 2,00 4,00	914 CR S 911 IW CR+ 947 EX CR S	700 015 2317
6DS1 Diesel	4678	6		Truck Bus MR620		95,00	2,50 2,00 2,00 4,50	910 4CR 911 IW CR 911 FE 947 EX CR	700 015 2318
6DS3 Diesel	5103	6		T652B B622		95,00	3,00 2,00 4,50	913 CR+ 911 IW CR 947 EX CR	700 015 2319
6DS5 Diesel	4974	6		Truck T630 T651 Bus B620B B620E B620BE Tractor T651ZR		98,00	3,00 2,00 2,00 5,00	910 4CR 911 IW CR 911 FE 947 EX CR	700 015 2320
6DS7 Diesel	5430	6		Truck T... Tractor T653ZR Bus B623B B623E		98,00	3,00 2,00 5,00	913 CR+ 911 IW CR 947 EX CR	700 015 2321
4D30 Diesel	3298	4		Truck FE111- 121-211 Bus BE211 Rosa		100,00	3,00 2,00 5,00	913 CR+ 911 IW CR 947 EX CR+	700 015 2322
4D31T Diesel	3567	4				100,00	3,00 2,00 4,00	913 CR+ 911 IW CR 947 EX CR S	700 015 2323
6D31T Diesel	4948	6				100,00	3,00 2,00 4,00	913 CR S 911 IW CR 947 EX NIT S	700 015 2324
4D30 Diesel	3298	4		Truck FE111- 121-211 Bus BE211 Rosa		100,00	3,00 2,00 5,00	913 CR S 911 IW CR 947 EX NIT S	700 015 2325
4D31T Diesel	3567	4				100,00	3,00 2,00 4,00	913 CR S 911 IW CR 947 EX NIT S	700 015 2326
4D30 Diesel	3298	4		Truck FE111- 121-211 Bus BE211 Rosa		100,00	3,00 2,00 5,00	913 CR S 911 IW CR 947 EX CR	700 015 2327
6D31 Diesel	4948	6				100,00	3,00 2,00 5,00	913 CR+ 911 IW CR 947 EX CR	700 015 2328
S6KT Diesel	6380	6				102,00	3,00 2,00 4,00	913 CR S 913 CR 947 EX NIT S	700 015 2329

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Type type type	GPR-Nr GPR-No réf. GPR	
4D34T Diesel	3907	4				104,00	2,81 2,00 4,00	914 CR+ 911 IW CR 947 EX CR S	  	700 015 2330
4D34T Diesel	3907	4				104,00	2,81 2,00 4,00	914 CR S 911 IW CR 947 EX NIT S	  	700 015 2331
4D32 Diesel	3567	4		Canter		104,00	3,00 2,00 4,00	913 4CR+ 911 IW CR 947 EX CR S	  	700 015 2332
4D32 Diesel	3567	4		Canter		104,00	3,00 2,00 4,00	913 CR S 911 IW CR 947 EX NIT S	  	700 015 2333
6D10 6D11 Diesel	5974	6		Truck T654B T654ZR FK10-3 KK103 Bus MK103H MM504		105,00	3,00 2,00 5,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2334
4D33 Diesel	4214	4		Canter		108,00	3,00 2,00 4,00	910 CR+ 911 IW CR 947 EX CR S	  	700 015 2335
4D33 Diesel	4214	4		Canter		108,00	3,00 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	  	700 015 2336
6D14T Diesel	6557	6		Bus MK115-115H MM115-515		110,00	2,81 2,50 4,00	914 CR S 911 IW CR 947 EX NIT S	  	700 015 2337
6D14 Diesel	6557	6				110,00	3,00 2,00 5,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2338
6D14 Diesel	6557	6		Truck FK115 - 115H - 115J - 115K-115DK T656ZR FM215 Bus MK115- 115H MM115C		110,00	3,00 2,50 5,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2339
6D14 Diesel	6557	6				110,00	3,00 2,50 4,00	910 CR+ 911 IW CR 947 EX CR S	  	700 015 2340
6D14 Diesel	6557	6		Truck FK115 - 115H - 115J - 115K-115DK T656ZR FM215 Bus MK115- 115H MM115C		110,00	3,00 2,50 5,00	913 CR S 911 IW CR 947 EX CR S	  	700 015 2341
6D14 Diesel	6557	6				110,00	3,00 2,50 4,00	910 CR S 911 IW CR 947 EX NIT S	  	700 015 2342
4D35 Diesel	4561	4				110,00	3,00 2,50 4,00	910 CR S 911 IW CR 947 EX NIT S	  	700 015 2343
6DB Diesel	8550	6		Truck Bus		110,00	3,50 2,50 2,50 5,00	910 4CR+ 911 IW CR 931 B FE 947 EX CR	   	700 015 2344
8DB Diesel	11404	8		Bus R820 R870 AR820 MR870 MAR870		110,00	3,50 2,50 2,50 5,00	910 4CR+ 911 IW CR 931 B FE 947 EX CR	   	700 015 2345




Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
6D15T Diesel	6919	6		Truck FM116 - 216 FM316 M116 - 516		113,00	2,81 2,50 4,00	914 CR S 911 IW CR 947 EX NIT S	 700 015 2346
6D15 Diesel	6919	6				113,00	3,00 2,50 5,00	913 CR+ 911 IW CR 947 EX CR+	 700 015 2347
6D15 Diesel	6919	6				113,00	3,00 2,50 5,00	913 CR S 911 IW CR 947 EX CR S	 700 015 2348
6M61 CNG	8201	6				118,00	2,50 2,00 4,00	910 NIT PVD S 931 CR+ 947 EX NIT S	 700 015 2349
6D16T Diesel	7545	6				118,00	2,81 2,50 4,00	914 CR S 911 IW CR+ 947 EX CR S	 700 015 2350
6D16T Diesel	7545	6				118,00	2,81 2,50 4,00	914 CR+ 911 IW CR 947 EX CR+	 700 015 2351
6D16T Diesel	7545	6		FIGHTER Truck		118,00	2,81 2,50 4,00	914 CR+ 911 IW CR+ 947 EX CR S	 700 015 2352
6D16 Diesel	7545	6				118,00	2,81 2,50 4,00	914 CR+ 911 IW CR 947 EX CR S	 700 015 2353
6D16T Diesel	7545	6				118,00	2,81 2,50 4,00	914 CR S 911 IW CR+ 947 EX CR S	 700 015 2354
6M60T Diesel	7545	6				118,00	2,81 2,50 4,00	914 NIT PVD S 911 IW CR+ 947 EX NIT S	 700 015 2355
6D16TL Diesel	7545	6				118,00	2,81 2,50 4,00	914 NIT PVD S 911 IW CR+ 947 EX CR	 700 015 2356
6D16TL Diesel	7545	6				118,00	2,81 2,50 4,00	914 NIT PVD S 911 IW CR+ 947 EX CR S	 700 015 2357
6M61 Diesel	8201	6				118,00	3,00 2,00 4,00	910 CR S 911 IF NIT S 947 EX NIT S	 700 015 2358
6D16 Diesel	7545	6		FUSO FK417 FK517		118,00	3,00 2,50 4,00	910 CR+ 911 IW CR 947 EX CR S	 700 015 2359
6D16 Diesel	7545	6		FUSO FK417 FK517		118,00	3,00 2,50 4,00	910 CR+ 911 IW CR 947 EX CR+	 700 015 2360
6D16 Diesel	7545	6		FUSO FK417 FK517		118,00	3,00 2,50 4,00	910 CR S 911 IW CR 947 EX NIT S	 700 015 2361
6D16 Diesel	7545	6		FUSO FK417 FK517		118,00	3,00 2,50 4,00	910 CR S 911 IW CR 947 EX NIT S	 700 015 2362
6D16 Diesel	7545	6				118,00	3,00 2,50 4,00	910 CR+ 911 IW CR 947 EX CR S	 700 015 2363

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Type type type	GPR-Nr GPR-No réf. GPR	
6D20 Diesel	10308	6		Bus		125,00	3,00 3,00 6,00	910 CR+ 911 IW CR 947 EX CR	  	700 015 2364
6D20 Diesel	10308	6		Truck NP117 FD117 K202 Bus MP117 MP517		125,00	3,31 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2365
6D20 Diesel	10308	6		Truck NP117 FD217R K202 Bus MP117H		125,00	4,00 3,00 6,00	913 IFU CR+ 911 IW CR 947 EX CR	  	700 015 2366
6D24 CNG Diesel	11945	6				130,00	2,50 2,50 4,00	910 NIT PVD S 931 4CR+ 947 EX NIT S	  	700 015 2367
6D22 Diesel	11149	6		Truck FFT318 FP318 Bus MP18 MP518 Fork Lift		130,00	3,00 3,00 6,00	910 4CR+ 911 IW CR 947 EX CR	  	700 015 2368
6D24 Diesel	11149	6				130,00	3,00 3,00 4,00	910 4CR S 911 IW 4CR+ 947 EX CR S	  	700 015 2369
6D22 Diesel	11149	6				130,00	3,00 3,00 4,00	910 4CR+ 911 IW 4CR+ 947 EX CR S	  	700 015 2370
6D22 Diesel	11149	6				130,00	3,00 3,00 4,00	910 4CR S 911 IW 4CR+ 947 EX CR S	  	700 015 2371
6D24T Diesel		6				130,00	3,31 2,50 4,00	914 NIT PVD S 911 IW NIT S 947 EX NIT S	  	700 015 2372
8DC2 8DC4 8DC7 (new) Diesel	13273	V-8		Truck Bus		130,00	3,31 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2373
6D22 6D22T Diesel	11149	6		Truck FFT318 FP318 Bus MP18 MP518 Fork Lift		130,00	3,31 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2374
6D24 Diesel	11149	6		Truck FFT318 FP318 Bus MP18 MP518 Fork Lift		130,00	3,31 3,00 4,00	914 CR S 911 IW 4CR+ 947 EX CR S	  	700 015 2375
6D22 Diesel	11149	6		Truck FFT318 FP318 Bus MP18 MP518 Fork Lift		130,00	3,31 3,00 4,00	914 CR S 911 IW 4CR+ 947 EX CR S	  	700 015 2376
6D22T2 Diesel	11149	6				130,00	3,31 3,00 4,00	914 CR S 911 IW 4CR+ 947 EX CR	  	700 015 2377
6D22 Diesel	11149	6				130,00	3,31 3,00 6,00	914 CR S 911 IW 4CR+ 947 EX CR	  	700 015 2378
6D22 Diesel	11149	6				130,00	3,31 3,00 6,00	914 CR+ 911 IW 4CR+ 947 EX CR	  	700 015 2379
6DC2 Diesel	9955	V-6		Truck T800H T810H T910Q T910K Bus B800 JB800K B805K B805M B810K B815K		130,00	4,00 3,00 6,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2380
8DC2 8DC4 8DC7 Diesel	13273	V-8		Truck T913 T811 T910 FT102 FV112 Bus B910 B801		130,00	4,00 3,00 6,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2381

Mitsubishi

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR	
8DC6 8DC81 (new) Diesel	14886	V-8		FT FJ FV		135,00	3,31 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2382
8DC91 8DC9T Diesel	16031	V-8		Truck FU 11,5t FV 10,75t FT EW Bus MS		135,00	3,31 3,00 3,00 6,00	914 CR+ 911 IW CR 931 B CR 947 EX CR	   	700 015 2383
6D40-T Diesel	12023	6		The Great Truck		135,00	3,31 3,00 4,00	914 CR+ 911 IW CR+ 947 EX CR S	  	700 015 2384
8DC9T Diesel	16031	V-8				135,00	3,31 3,00 3,00 4,00	914 CR+ 911 IW CR 931 B CR 947 EX CR S	   	700 015 2385
6D40 Diesel		6				135,00	3,31 3,00 4,00	914 CR S 911 IW CR+ 947 EX CR S	  	700 015 2386
6D40-T Diesel	12023	6		The Great Truck		135,00	3,31 3,00 4,00	914 CR S 911 IW CR 947 EX NIT S	  	700 015 2387
6M70 Diesel	12882	6				135,00	3,81 2,50 4,00	914 CR S 911 IW NIT S 947 EX NIT S	  	700 015 2388
8DC6 8DC8 Diesel	14886	V-8		Truck FS313 NW Bus B907N NA SA MS513 MS613		135,00	4,00 3,00 6,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2389
6SB1 Diesel	16031	6				135,00	4,00 3,00 6,00	913 CR+ 911 IW CR 947 EX CR	  	700 015 2390
8DC10 Diesel	16752	8				138,00	3,31 3,00 3,00 6,00	914 CR+ 911 IW CR 931 B CR 947 EX CR	   	700 015 2391
8DC11 Diesel	16752	8				142,00	3,31 3,00 3,00 4,00	914 CR+ 911 IW CR 931 B CR 947 EX CR S	   	700 015 2392
S6A Diesel	16031	6				145,00	4,40 2,92 6,00	913 4CR+ 913 CR 947 EX CR+	  	700 015 2393
S6A2 Diesel	16960	1				150,00	4,40 2,92 6,00	913 4CR+ 913 CR 947 EX CR+	  	700 015 2394