

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Motor FT3		4				66,00	1,50 1,50 2,80	910 CR S 911 CR 777 NIT S	700 015 2420
Motor FT3		4				66,20	1,50 1,50 2,80	910 CR S 911 CR 777 NIT S	700 015 2421
MA10 MA10ET Gasoline	987	4		March		68,00	1,50 1,50 2,80	910 CR S 911 FE 777 CR S	700 015 2422
MA10 MA10ET Gasoline	987	4		March		68,20	1,50 1,50 2,80	910 CR S 911 FE 777 CR S	700 015 2423
EJIKK EJ4KK Gasoline		4				71,00	1,20 1,20 2,00	910 CR S 911 FE 777 CR S	700 015 2424
CG Gasoline	1000	4		March		71,00	1,20 1,50 3,00	910 CR S 911 FE 777 CR S	700 015 2425
MA12 Gasoline	1200	4		für verbleites Benzin		71,00	1,50 1,50 2,80	910 CR S 911 FE 777 NIT S	700 015 2426
Motor EJIKK EJ4KK		4				71,20	1,20 1,20 2,00	910 CR S 911 FE 777 CR S	700 015 2427
CG Gasoline	1000	4		March		71,20	1,20 1,50 3,00	910 CR S 911 FE 777 CR S	700 015 2428
MA12 Gasoline	1200	4		für verbleites Benzin		71,20	1,50 1,50 2,80	910 CR S 911 FE 777 NIT S	700 015 2429
CG13 Gasoline		4				72,00	1,20 1,20 2,50	910 CR S 911 FE 777 CR S	700 015 2430
Motor CG13		4				72,20	1,20 1,20 2,50	910 CR S 931 FE 777 CR S	700 015 2431
EJ5KK Gasoline		4				73,00	1,20 1,20 2,00	910 CR S 911 FE 777 CR S	700 015 2432
E10 Gasoline	1000	4		Sunny P130 VP130 WP130		73,00	1,50 1,50 4,00	910 CR+ 931 ES FE 777 CR S	700 015 2433
Motor EJ5KK		4				73,20	1,20 1,20 2,00	910 CR S 911 FE 777 CR S	700 015 2434
GA14 Gasoline		4				73,60	1,50 1,50 2,80	910 NIT S 911 CR 777 NIT S	700 015 2435

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
VQ20 Gasoline	1995	V-6		Ce?ro		76,00	1,20 1,20 2,50	910 IF CR S 911 FE 777 CR S	   700 015 2436
A 14 (new) A 15 Gasoline	1397	4		Vanette (C20) B210 B310		76,00	1,20 2,00 4,00	910 CR S 931 FE 777 CR S	   700 015 2437
E 13 + E 15 Gasoline E 16	1270	4		Sunny Pulser Laurel Spirit Langley California AD Van		76,00	1,50 1,50 4,00	910 CR SN S 911 FE 777 CR S	   700 015 2438
GA16 Gasoline	1596	4		Sunny Pulser		76,00	1,50 1,50 2,80	910 NIT S 911 CR 777 NIT S	   700 015 2439
E 15 E 16 Gasoline	1487	4				76,00	1,50 1,50 4,00	910 4CR 911 FE 777 CR S	   700 015 2440
GA16DE Gasoline	1596	4		Sunny Pulser Primera		76,00	1,50 1,50 2,80	910 CR+ 911 FE 777 CR S	   700 015 2441
E 16E Gasoline	1597	4		Pulser		76,00	1,50 1,50 4,00	910 NIT S 911 CR 777 CR S	   700 015 2442
GA16DE Gasoline	1596	4		Sunny Sentra		76,00	1,50 2,80	911 IF CR S 777 CR S	  700 015 2443
A14 Gasoline	1397	4		Sunny (140Y) Pulser (140A) Violet (140J) Vanette (C20)		76,00	2,00 2,00 4,00	911 CR+ 911 FE 777 CR S	   700 015 2444
CA16S Gasoline	1598	4		Bluebird Stanza Auster		77,95	1,50 1,50 4,00	910 CR SN S 911 SN 777 CR S	   700 015 2445
VG20E ET Gasoline	1998	6		Cedric Gloria Laurel Fairlady-Z		77,95	1,50 1,50 2,80	910 CR SN S 911 SN 777 CR S	   700 015 2446
CA16 CA16DE Gasoline	1598	4		Stanza Auster		77,95	1,50 1,50 2,80	910 IF CR S 911 SN 777 CR S	   700 015 2447
L20S Gasoline	1988	6		Gloria Van Cedric Bluebird Skyline 2000GT Fairlady Z		77,95	1,50 2,00 4,00	910 CR+ 931 ES FE 777 CR S	   700 015 2448
J16 Gasoline	1567	4		Datsun Caravan Cabster Truck, Bus		77,95	2,00 2,00 4,00	910 CR S 911 FE 777 CR S	   700 015 2449
Motor RB20DE	1998	6		Laurel Skyline		78,00	1,50 2,80	910 IF CR 777 CR S	  700 015 2450

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
QG18DE Gasoline		4				80,00	1,20 1,20 2,50	910 CR S 911 FE 777 CR S	700 015 2451
QG18 Gasoline		4				80,00	1,20 1,20 2,50	910 NIT S 911 CR 777 NIT S	700 015 2452
QG18DE Gasoline		4				80,00	1,50 1,50 2,80	910 CR S 911 CR 777 CR S	700 015 2453
QG18 Gasoline		4				80,00	1,50 2,80	911 IF CR S 777 CR S	700 015 2454
Dieselmotor CD17	1680	4		Sunny		80,00	1,75 2,00 3,00	910 IF CR S 911 IW CR 947 EX NIT S	700 015 2455
CD17 Diesel		4		Sunny		80,00	1,75 2,00 3,00	910 IF CR SN+ 911 IW SN 947 EX CR S	700 015 2456
J18 Gasoline		4				80,50	1,50 2,00 4,00	910 CR S 911 FE 777 CR S	700 015 2457
SR18 Gasoline	1838	4		Bluebird Presta Sunny Primera		82,50	1,50 1,50 3,00	910 IF NIT S 911 CR 777 NIT S	700 015 2458
SR18 Gasoline	1838	4		Bluebird Presta Sunny Primera		82,50	1,50 1,50 3,00	910 IF NIT S 911 CR 777 NIT S	700 015 2459
Motor SR18	1838	4		Bluebird Presta Sunny Primera		82,70	1,50 1,50 3,00	910 IF NIT S 911 CR 777 NIT S	700 015 2460

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
CA18E CA18S Gasoline	1809	4		Laurel Skyline Silvia Gazella Stanza Auster Prairie		83,00	1,50 1,50 4,00	910 CR SN S 911 CR 777 CR S	700 015 2461
CA18-ET Gasoline	1809	4		für unverbleites Benzin Gazelle Turbo Silvia Turbo Bluebird Turbo		83,00	1,50 1,50 2,80	910 CR S 911 CR 777 CR S	700 015 2462
CA18-DET Gasoline	1809	4		Gazelle		83,00	1,50 1,50 2,80	910 CR S 911 CR 777 NIT S	700 015 2463
L24E Gasoline		6				83,00	1,50 2,00 4,00	911 CR+ 931 ES FE 777 CR S	700 015 2464
CA18P Gasoline		4				83,00	2,00 1,50 2,80	910 IF CR S 911 CR 777 CR S	700 015 2465
SD20 Diesel	1991	4		Cedric, QG31Y Q131		83,00	2,50 2,00 2,00 4,50 4,50	910 4CR 911 CR 911 CR 947 EX CR 947 CR	700 015 2466
SD22 Diesel	2164	4		Truck Fork Lift		83,00	2,50 2,00 4,50	910 CR+ 911 IW CR+ 947 EX CR	700 015 2467
SD33 SD33T Diesel	3246	6		Truck QC80 QSC80 DQSC80		83,00	2,50 2,00 2,00 4,50 4,50	910 4CR 911 CR 911 CR 947 EX CR 947 CR	700 015 2468
SD15 SD16 Diesel		3		Fork Lift		83,00	2,50 2,00 4,50	910 CR+ 911 IW CR+ 947 EX CR	700 015 2469
SD33T Diesel	3246	6				83,00	2,50 2,00 4,00	913 CR+ 911 IW CR+ 947 EX CR	700 015 2470
SD22 Diesel	2164	4		Junior, Caball, Bus		83,00	2,50 2,00 2,00 4,50 4,50	913 CR S 911 IW CR 931 B CR 947 EX CR 947 CR	700 015 2471
CA20A Gasoline	1973	4		Bluebird		84,50	1,50 1,50 4,00	910 CR SN S 911 SN 777 CR S	700 015 2472
CA20E Gasoline	1973	4				84,50	1,50 1,50 2,80	910 NIT S 911 CR 777 NIT S	700 015 2473
CA20P Gasoline	1973	4		für LPG-Motor		84,50	2,00 1,50 2,80	910 IF CR S 911 SN 777 CR S	700 015 2474
LD28 Diesel	2792	6		Cedric Gloria Skyline		84,50	2,00 2,00 4,00	910 IF CR+ 911 IW FE 947 EX CR	700 015 2475
CD20 Diesel	1952	4		Truck		84,50	2,00 2,00 3,00	910 IF NIT S 911 IW CR 947 EX NIT S	700 015 2476

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Z 20 Gasoline	2000	4		Laurel Caravan Vanette		85,00	1,50 1,50 4,00	910 CR SN S 911 SN 777 CR S	700 015 2477
Z20E Gasoline	1952	4				85,00	1,50 1,50 4,00	911 FE 911 FE 777 CR S	700 015 2478
Motor Z20	1952	4		Laurel, Caravan, Vanette, Bluebird, Silvia, Skyline		85,00	1,50 1,50 4,00	910 CR S 911 FE 777 CR S	700 015 2479
Z20 Gasoline	2000	4		Laurel Caravan Vanette		85,00	2,00 1,50 4,00	910 IF CR S 911 SN 777 CR S	700 015 2480
LD20 Diesel	1952	4		Bluebird		85,00	2,00 2,00 4,00	910 IF CR+ 911 IW FE 947 EX CR	700 015 2481
LD20 Diesel	1952	4		Bluebird		85,00	2,00 2,00 4,00	910 IF CR S 911 IW FE 947 EX CR	700 015 2482
RD 28 Diesel	2825	6				85,00	2,00 2,00 4,00	910 NIT S 911 IW CR 947 EX NIT S	700 015 2483
SR20 SR20D Gasoline	1998	4				86,00	1,20 1,20 2,50	910 NIT S 911 CR 777 NIT S	700 015 2484
SR20 Gasoline	1998	4		Bluebird Silvia 180SX		86,00	1,50 1,50 3,00	910 IF CR S 911 CR 777 CR S	700 015 2485
RB30 Gasoline	3000	6				86,00	1,50 1,50 2,80	910 IF NIT S 911 CR 777 NIT S	700 015 2486
Motor WD21		4				86,00	1,50 1,50 4,00	910 IF NIT S 911 CR 777 NIT S	700 015 2487
L28 Gasoline	2753	6		Cedric (280C) Fairlady-Z (280Z) Laurel (280L) Leopard		86,00	1,50 2,00 4,00	910 CR SN S 911 SN 777 CR S	700 015 2488
L28E Gasoline	2753	6		Leopard Fairlady		86,00	1,50 2,00 4,00	911 FE 911 FE 777 CR S	700 015 2489
Motor SR20 SR20D	1998	4		Bluebird Silvia 180SX		86,20	1,20 1,20 2,50	910 NIT S 911 CR 777 NIT S	700 015 2490
SR20 SR20D Gasoline	1998	4		Bluebird		86,20	1,50 1,50 3,00	910 IF NIT S 911 CR 777 NIT S	700 015 2491
Motor SR20 SR20D	1998	4		Bluebird Silvia 180SX		86,20	1,50 1,50 3,00	910 IF NIT S 911 CR 777 NIT S	700 015 2492

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Z22E Z22S Gasoline	2187	4		Datsun Truck		87,00	1,50 1,50 4,00	910 CR SN S 911 SN 777 NIT S	700 015 2493
VG30 Gasoline	2960	V-6		Cedric Gloria Fairlady		87,00	1,50 1,50 2,80	910 NIT S 911 CR 777 NIT S	700 015 2494
VG30-DE Gasoline	2960	6				87,00	1,50 1,50 2,80	910 CR S 911 CR 777 CR S	700 015 2495
VE30 Gasoline		6				87,00	1,50 1,50 2,80	910 CR S 911 CR 777 CR S	700 015 2496
VG301 Gasoline	2960	6		Datsun Truck		87,00	2,00 1,50 2,80	910 IF CR S 911 CR 777 CR S	700 015 2497
LD23 Diesel		4				87,00	2,00 2,00 3,00	910 IF CR+ 931 CR 947 EX CR	700 015 2498
H20 Gasoline	1982	4		Junior, Caball, Bus		87,20	2,00 2,50 4,00	911 CR 911 FE 777 CR S	700 015 2499
KA24DE Gasoline	2389	4		Altima		89,00	1,20 1,20 2,50	910 IF CR S 911 CR 777 CR S	700 015 2500
QR25DE Gasoline	2488	4				89,00	1,20 1,20 2,50	910 IF NIT S 911 CR 777 NIT S	700 015 2501
Z24 Gasoline	2400	4		Datsun Truck		89,00	1,50 1,50 4,00	910 CR SN S 911 CR 777 CR S	700 015 2502
KA24 Gasoline		4				89,00	1,50 1,50 2,80	910 IF CR S 911 CR 777 CR S	700 015 2503
KA24DE Gasoline	2389	4		Altima		89,00	1,50 1,50 2,80	910 IF CR S 911 CR 777 CR S	700 015 2504
Z241 Gasoline	2400	4		Datsun Truck		89,00	2,00 1,50 4,00	910 IF CR S 911 FE 777 CR S	700 015 2505
G20 G01 Gasoline	1990	4				89,00	2,00 2,00 4,00	911 4CR 911 FE 777 CR S	700 015 2506
Dieselmotor YD25	2500	4		Navara		89,00	2,00 2,00 3,00	913 NIT S 930 P 947 EX NIT S	700 015 2507
SD23 SD25 new Diesel	2289	4		Truck Fork Lift		89,00	2,50 2,00 4,50	910 CR+ 911 IW CR+ 947 EX CR	700 015 2508
TD23 Diesel	2289	4				89,00	2,50 2,00 4,00	910 CR+ 911 IW CR+ 947 EX CR S	700 015 2509
VG33 Gasoline	3272	6				91,50	1,50 1,50 2,80	910 CR S 911 FE 777 CR S	700 015 2510
FJ24 Gasoline	2400	4		Rally		92,00	1,50 1,50 2,50	910 CR S 931 FE 777 CR S	700 015 2511

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
TD25-2 Diesel		4				92,90	2,50 2,00 3,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2512
TD25 Diesel	2500	4				92,90	2,50 2,00 4,00	910 CR+ 911 IW CR+ 947 EX CR S	700 015 2513
TD25 Diesel	2500	4				92,90	2,50 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2514
VQ30 Gasoline	2987	6		Maxima Cedric Gloria		93,00	1,20 1,20 2,50	910 IF NIT S 911 CR 777 NIT S	700 015 2515
Motor VQ30	2987	6		Maxima Cedric Gloria		93,20	1,20 1,20 2,50	910 IF NIT S 911 CR 777 NIT S	700 015 2516
VG35 Gasoline		6				95,50	1,20 1,20 2,50	910 CR S 911 FE 777 CR S	700 015 2517
Motor VQ35		6				95,70	1,20 1,20 2,50	910 CR S 911 FE 777 CR S	700 015 2518
Motor TB42 TB42E	4169	6		Safari		96,00	2,00 2,00 4,00	910 NIT S 911 CR 777 NIT S	700 015 2519
Dieselmotor TD42T	4169	6		Safari Civilian		96,00	2,50 2,00 3,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2520
TD27 Diesel	2700	4				96,00	2,50 2,00 4,00	910 CR S 911 IW CR P 947 EX NIT S	700 015 2521
TD27 Diesel	2700	4		TD 27 Turbo BD300 Turbo (Ecotech)		96,00	2,50 2,00 4,00	910 CR+ 911 IW CR+ 947 EX CR S	700 015 2522
TD27 Diesel	2700	4		TD 27 Turbo BD300 Turbo (Ecotech)		96,00	2,50 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2523
TD27T Diesel	2663	4				96,00	2,50 2,00 4,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2524
TD42 AD3 Diesel	4169	6		Datsun Jeep		96,00	2,50 2,00 4,00	910 CR+ 911 IW CR+ 947 EX CR S	700 015 2525
TD42 AD3 Diesel	4169	6		Datsun Jeep		96,00	2,50 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2526
BD30 Diesel		4		Cedric		96,00	2,50 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2527
ZD30E Diesel		4				96,00	2,50 2,00 3,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2528
Motor VK56 ZH2		8				98,00	1,50 1,50 2,50	910 CR S 931 FE 777 CR S	700 015 2529
ED30 Diesel	2956	4		Truck Bison YC341 Caball YC341		98,00	3,00 2,00 2,00 4,50	910 CR+ 911 IW CR 911 CR 947 EX CR	700 015 2530
ED30 Diesel	2956	4				98,00	3,00 2,00 4,50	910 CR 911 IW CR 947 EX CR	700 015 2531

Nissan

Motor-Type motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
Dieselmotor QD32		4				99,20	2,50 2,00 3,00	913 CR 911 IW CR 947 EX NIT S	700 015 2532
AD5 Diesel	3200	4		Caravan		99,20	2,50 2,00 3,00	910 NIT S 911 IW CR 947 EX NIT S	700 015 2533
ED33 (new) Diesel	3298	4		Datsun Truck		100,00	2,00 2,00 4,00	910 CR+ 911 IW CR 947 EX CR S	700 015 2534
ED33 Diesel	3298	4		Truck Bison HMC341 Civilian GHMC341		100,00	3,00 2,00 4,50	910 CR+ 911 IW CR 947 EX CR	700 015 2535
ED6 FD6 Diesel	5654	6		Truck Condor CM80 CM85 Bus R80 RM80		100,00	3,00 2,00 2,00 4,50	910 CR+ 911 IW CR 911 CR 947 EX CR	700 015 2536
FD6 Diesel	5654	6				100,00	3,00 2,00 4,50	910 CR+ 911 IW CR 947 EX CR	700 015 2537
FD6T Diesel	5654	6		Condor CM85, CK 85		100,00	3,00 2,00 2,00 4,50	914 CR+ 911 IW CR 911 CR 947 EX CR	700 015 2538
FD6T Diesel	5654	6		Condor CM85, CK 85		100,00	3,00 2,00 2,00 4,50	913 CR+ 911 IW CR 911 CR 947 EX CR	700 015 2539
FD6T (new) Diesel	5654	6				100,00	3,00 2,00 4,50	913 CR+ 911 IW CR 947 EX CR	700 015 2540
FD33T Diesel	3298	4		Datsun Truck		100,00	3,00 2,00 4,50	913 CR+ 911 IW CR 947 EX CR	700 015 2541
FD35 Diesel	3465	4		Condore		102,50	2,00 2,00 4,00	910 CR+ 911 IW CR 947 EX CR S	700 015 2542
FD35 Diesel	3500	4		Condore		102,50	2,00 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2543
FD35T Diesel	3500	4		Condor		102,50	3,00 2,00 4,00	913 CR+ 911 IW CR 947 EX NIT S	700 015 2544
ED35 Diesel	3465	4		Datsun Truck		102,50	3,00 2,00 4,00	910 CR S 911 IW CR 947 EX CR S	700 015 2545
FM6T Diesel		6				105,90	2,50 2,00 4,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2546

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR
FE6TA Diesel	7000	6		MK 250		108,00	2,50 2,00 4,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2547
FE6T Diesel	7000	6		MK 250		108,00	3,00 2,00 4,00	913 CR+ 911 IW CR 947 EX CR S	700 015 2548
FE6 Diesel	6925	6		MK 250		108,00	3,00 2,00 4,00	910 CR+ 911 IW CR 947 EX CR S	700 015 2549
FE6T Diesel	7000	6		MK 250		108,00	3,00 2,00 4,00	913 CR 911 IW CR 947 EX NIT S	700 015 2550
FE6 Diesel	7000	6		MK 250		108,00	3,00 2,00 4,00	910 CR S 911 IW CR 947 EX NIT S	700 015 2551
NE6 Diesel	7000	6		USA Spec.		110,00	3,00 2,50 4,00	913 CR+ 911 IW CR+ 947 EX CR+	700 015 2552
ND6 Diesel	6842	6		CK10 PRX102		110,00	4,00 3,00 5,00	910 CR 911 CR 947 EX CR+	700 015 2553
ND6T Diesel	6842	6		Bus		110,00	4,00 3,00 5,00	914 TEF+ 911 CR 947 EX CR+	700 015 2554
ND6 Diesel	6842	6		for industrial machine		110,00	4,00 3,00 5,00	910 CR 911 CR 947 EX NIT S	700 015 2555
NE6 Diesel	7000	6		USA Spec.		110,00	4,00 3,00 5,00	913 CR S 911 IW CR 947 EX NIT S	700 015 2556
NS6TA Diesel	9160	6		CV32		120,00	3,00 2,50 4,00	913 NIT S 911 IW CR 947 EX NIT S	700 015 2557
MD92TCI Diesel	9203	6				125,00	2,50 2,00 3,00	913 PVD S 911 NIT S 947 EX NIT S	700 015 2558
PD6T Diesel	10308	6		CW41		125,00	4,00 3,50 5,00	914 CR+ 911 IW CR 947 EX CR+	700 015 2559
PD6T Diesel	10308	6		CW41		125,00	4,00 3,50 5,00	914 CR+ 911 IW CR 947 EX NIT S	700 015 2560
PDT Diesel	10308	6				125,00	4,00 3,50 5,00	913 CR+ 911 IW CR 947 EX CR	700 015 2561
PD6 Diesel	10308	6		CK20, TK20, U20, TFA21, CD40, CV40		125,00	5,00 3,50 5,00	910 CR 911 IW CR 947 EX CR+	700 015 2562
PD6 Diesel	10308	6		CK20, TK20, U20, TFA21, CD40, CV40		125,00	5,00 3,50 5,00	910 CR 911 IW CR 947 EX NIT S	700 015 2563

Nissan

Motor-Typ motor-type type de moteur	ccm	Zyl. cyl. cyl.	Leistung power puissance	Modell model modèle	Baujahr year année	Bohrung bore percée	Höhe height épais.	Typ type type	GPR-Nr GPR-No réf. GPR	
PF6 Diesel	13000	6		Truck		133,00	2,50 2,50 4,00	913 NIT S 911 IW CR 947 EX CR S	  	700 015 2564
PE6T Diesel	11670	6		CD45		133,00	3,00 2,50 4,00	913 CR+ 911 IW CR 947 EX CR S	  	700 015 2565
PE6 Diesel	11670	6		CK30 CK31 CV31 CD32 RB30 CB300		133,00	4,00 3,50 6,00	914 CR+ 911 IW CR 947 EX CR+	  	700 015 2566
PE6T Diesel	11670	6		CD45		133,00	4,00 3,50 6,00	913 CR+ 911 IW CR 947 EX CR+	  	700 015 2567
RE8 Diesel	15115	8		CW53 CD 53 CW510		135,00	3,00 3,00 5,00	910 CR+ 911 IW CR 947 EX CR S	  	700 015 2568
RD8 Diesel	14313	V-8		Bus CD52 CW50 CW51 CW52 RA50 RA51 TWA52 WD151		135,00	4,00 3,00 6,00	910 CR+ 911 IW CR 947 EX CR S	  	700 015 2569
RD8T Diesel	14313	V-8		Truck CV56		135,00	4,00 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2570
RD10 Diesel	18000	V-10		CK60 CW60 CW61 WD23 WD30		135,00	4,00 3,00 6,00	910 CR+ 911 IW CR 947 EX CR	  	700 015 2571
RD10T Diesel	17892	V-10		Truck WP381		135,00	4,00 3,00 6,00	914 CR+ 911 IW CR 947 EX CR	  	700 015 2572
RF8 Diesel	16991	8		CD520		138,00	2,50 2,50 4,00	910 IF CR+ 911 IW CR 947 EX CR S	  	700 015 2573
RF Diesel	21239	10				138,00	2,50 2,50 4,00	910 NIT S 911 IW CR 947 EX NIT S	  	700 015 2574
RG8 Diesel	17991	8		KL-CD53		142,00	3,00 2,50 4,00	910 NIT S 911 IF CR 947 EX NIT S	  	700 015 2575
RH8 RH10 Diesel	21205	1		Tractor		150,00	3,00 2,50 4,00	910 NIT S 911 IW CR 947 EX NIT S	  	700 015 2576